

To: Fagen, Elizabeth[Fagen.Elizabeth@epa.gov]; Wharton, Steve[Wharton.Steve@epa.gov]; Peterson, Cynthia[Peterson.Cynthia@epa.gov]; Wall, Dan[wall.dan@epa.gov]; Sisk, Richard[Sisk.Richard@epa.gov]; Rudy, Michael[Rudy.Mike@epa.gov]; Brent Lewis (Brent_Lewis@blm.gov)[Brent_Lewis@blm.gov]; randy.perlis@state.co.us[randy.perlis@state.co.us]
From: Schmittiel, Paula
Sent: Mon 10/5/2015 10:31:51 PM
Subject: FW: Water Treatment Plant for Cement Creek Drainage
2015 10 05 Letter to ASRG Co-Coordiators re Water Treatment Plant.pdf

Paula Schmittiel

Remedial Project Manager

U.S. Environmental Protection Agency

1595 Wynkoop St.

Denver, CO 80202

Office: 303-312-6861

Fax: 303-312-7151

Cell: 720-951-0795

From: Pat Maley [mailto:Pat.Maley@Kinross.com]
Sent: Monday, October 05, 2015 1:49 PM
To: Schmittiel, Paula
Subject: Water Treatment Plant for Cement Creek Drainage

Paula,

FYI.

Pat

**Pat Maley
Director, Environment
Sunnyside Gold Corporation
5075 South Syracuse Street, Suite 800**

Denver, CO 80237

Direct: 303-802-1449

Cell: 775-240-1288